

RANGE OF SERVICES

PHOTO BOOTH MODEL BERN





AT FIRST GLANCE





- Space requirements appr. 1,2 x 2,1m
- Live View: 19" touchscreen display
- Branding of the photo booth is possible
- Power connection of 230 V
- Bench or height-adjustable chair
- Easy-to-access (accessible from both sides)
- Privacy through curtains (left and right)
- Immediate print-out of the pictures (print-time appr. 8-10 seconds)
- Greenscreen or bluescreen
- Videobooth (Video-recordings)

WEIGHT / DIMENSIONS



Main element with monitor

(without printer): appr. 58 kg

Second element: appr. 28 kg

Roof construction: appr. 20 kg

Ground: appr. 30 kg

Technic: appr. 7 kg

Curtain: appr. 2 kg

Stool: appr. 4 kg

Bench (optional): appr. 17,5 kg

Printer: appr. 14 kg

Height: 200 cm Length: 200 cm Width: 118 cm

Technology housing:

(H x L x W) 190 x 99 x 41 cm

Rear wall:

 $(H \times L \times W) 190 \times 99 \times 19 \text{ cm}$

Ground:

 $(H \times L \times W) 182 \times 99 \times 12 \text{ cm}$

Cover:

 $(H \times L \times W) 200,5 \times 118,5 \times 5,5 \text{ cm}$

Height of the camera

appr. 118 cm



TECHNICAL DATA PC AND TECHNICS



Mini PCi5

- IT13 Mini-PC with Intel® Core™ 13th generation i5-13500H
- 16 GB RAM
- 512 GB SSD hard disk
- Intel® Iris® Xe-Graphics for i5-13500
- Comprehensive selection of connections, including two USB4-connections and two HDMI 2.0-connections
- Intel® Bluetooth® 5.2 and Wi-Fi 6E for faster connections
- Dimensions (WxHxD): 120 mm x 110 mm x 50 mm

Lighting: LED Panels

Monitor: 19" touchscreen monitor

Keyboard: Logitech K400

Optional

Microphone: built-in boundary

microphone

Speakers: build-in bluetooth

speakers







Canon EOS R100 with lens

- Sensor: APS-C
- appr. 24,1 Megapixel CMOS-sensor
- 7,5 cm (3 inch) LC-display
- Digic 8 image-processor
- 4K video
- OLED EVF
- WLAN
- Bluetooth
- Lens RF-S 18-45mm f4,5-6,3 IS STM
- black

The camera can be used in portrait and landscape format.







Printer DNP DS-620/CITIZEN CX-02 Compact/Fuji ASK-400

- Print technology: Thermosublimation
- Resolution (dpi): 300 x 300 (High-Speed-Modus) (max. speed), 300 x 600 (High-Quality-Modus) (max. quality)
- Print formats: 5x15, 10x15, 13x18, 15x15, 15x20 and 15x23 cm
- Print time for a 10x15 cm picture: appr. 8,9 seconds
- Print capacity per roll:
 400 pictures in 10x15 cm format
- Paper feed: Paper rolls
- Print-outs optionally in matt or glossy finish
- Energy savings up to 0,5 W (Standby-Modus)

- Printer driver for Windows Vista, Windows 7, Windows 8, Win XP, Mac OS X 10.9.5, 10.10 und 10.11
- Connection: USB 2.0
- Buffer storage: 64 MB
- Range of delivery: Printer, power cord, ribbon cassette, paper holder, section-box





MOBILIY, STABILITY AND SECURITY





QUICK CHANGE OF PLACE

- moveable
- with brakes detectable

HIGH-QUALITY MATERIALS

- robust, but not too heavy
- edges protected by metal strips (shockproof)
- no visible rivets or screws
- smooth surface for attaching brandings
- the technical section is lockable

TECHNICAL PARTICULARITIES









19 INCH - INDUSTRY-TOUCHSCREEN

- easy to handle (large screen)
- shock and scratch resistant
- large camera-live-image on touchscreen

DIMMABLE LED-BASIC-LIGHTING

- adequate lighting of the motifs
- the photo booth can even be used in poorly lit rooms
- perfect exemption at the greenscreen-shooting

FUNCTIONAL AND CONVENIANT

- with height-adjustable chair
- or bench (optional)



FURTHER PARTICULARITIES









SWIVELING CAMERA

- adjustable in landsape and portrait format
- individual image-clipping through zoom-objective
- Camera is tiltable and height adjustable

OPTIONAL: COIN SLOT/CARD READER

- costs are individually adjustable per picture
- can be de-activated real simple
- change of money possible on request!
- re-finance is possible

PRIVACY GUARANTEED

through integrated curtains



SOFTWARE FUNCTIONS









INDIVIDUAL LAYOUT OF THE PICTURES

- insert a specific logo or a frame
- optional: personal signature on the images
- more pictures on a print-out

RECORDINGS IN ...

- colored
- black-white
- sepia

IMAGE-DOWNLOAD

- Imprint of a QR- or a number-code
- direct image-download or conducting of a raffle via online gallery

SOFTWARE FUNCTIONS







E-MAIL-SHIPPMENT

- direct shippment of the picture via e-mail
- input of the mailadress direct on the box
- individual mailtext and subject of the matter
- saving of the inserted e-mail-adresses (customer acquisition)

VIDEO RECORDINGS

- the length of the short video is adjustable
- good sound-quality through external microphone
- built-in speaker, boundary layer microphone



GREENSCREEN SHOOTING





RESULT:



PARTICULARITIES

- individual selection of the background, which enables the user to adapt to various event-topics
- perfect exemption because of LED-panels

OPTIONAL - GREENSCREEN TECHNIQUE WITHOUT GREEN BACKGROUND

- AI Background Remove removes background of pictures directly in photobooth workflow
- new background not visible in live-view, only visible in final photo





UNIQUE PHOTO BOOTH THROUGH INDIVIDUAL BRANDING







DO YOU HAVE ANY FURTHER QUESTIONS?



