

RANGE-OF-SERVICES

PHOTO BOOTH MODEL ZÜRICH



AT FIRST GLANCE



- Space requirements appr. 1 x 1,75 m
- Live View: 19" touchscreen monitor
- Branding of the photo booth possible
- Power connection 230 V
- With height-adjustable chair
- Easy to enter
(accessible from both sides)
- Privacy through curtains
(left and right)
- Immediate print-out of the pictures
(print-time appr. 8-10 seconds)
- Social Media functions
(Facebook, Twitter, Instagram)
- Greenscreen or bluescreen
- Videobooth (video-recordings)



DIMENSIONS



Height: 190 cm

Length: 170 cm

Width: 98 cm

Technic housing:

(H x L x W) 190 x 80 x 41 cm

Rear wall:

(H x L x W) 190 x 80 x 19 cm

Ground:

(H x L x W) 150 x 80 x 12 cm

Cover:

(H x L x W) 171 x 100 x 5,5 cm

Camera height:

appr. 118 cm



WEIGHT



Main-element with monitor

(without printer): appr. 48 kg **1**

Second element: appr. 25 kg **2**

Roof-construction: appr. 15 kg **3**

Ground: appr. 23 kg **4**

Technic: appr. 7 kg

Stool: appr. 4 kg **5**

Curtain: appr. 2 kg

Printer: appr. 14 kg

TECHNICAL DATA PC AND TECHNIC

Mini PCI5

- IT13 Mini-PC with Intel® Core™ 13th generation i5-13500H
- 16 GB RAM
- 512 GB SSD hard disk
- Intel® Iris® Xe-Graphics for i5-13500
- Comprehensive selection of connections, including two USB4-connections and two HDMI 2.0-connections
- Intel® Bluetooth® 5.2 and Wi-Fi 6E for faster connections
- Dimensions (WxHxD): 120 mm x 110 mm x 50 mm

Lighting: LED panels
Monitor: 19 inch touchscreen
Keyboard: Logitech K400

Optional

Mikrophone: build-in
interfacial-microphone
Speakers: build-in
bluetooth speaker



TECHNICAL DATA - CAMERA

CANON EOS R100 RF-S 18-45MM

Canon EOS R100 with lens

- Sensor: APS-C
- appr. 24,1 Megapixels CMOS sensor
- 7,5 cm (3 inch) LC-display
- Digic 8 image processor
- 4K Video
- OLED EVF
- WLAN
- Bluetooth
- Lens RF-S 18-45mm f4,5-6,3 IS STM
- black

The camera can be used in portrait and landscape format.



TECHNICAL DATA - PRINTER OPTIONAL

Printer DNP DS-620/CITIZEN CX-02 Compact /Fuji ASK - 400

- Print-technology: Thermosublimation
- Resolution (dpi): 300 x 300 (High-Speed-Modus) (max. speed), 300 x 600 (High-Quality-Modus) (max. Quality)
- Print formats: 5x15, 10x15, 13x18, 15x15, 15x20 und 15x23 cm
- Print-time for a 10x15 cm image: 8,9 seconds
- Print capacity per roll: 400 pictures in format 10x15 cm
- Paper feed: Paper roll
- Print-outs optional in matt or shiny surface
- Energy savings up to 0,5 W (standby mode)

- Printer driver for Windows Vista, Windows 7, Windows 8, Win XP, Mac OS X 10.9.5, 10.10 und 10.11
- Connection: USB 2.0
- Buffer storage: 64 MB
- Scope of delivery: Printer, power adapter, ribbon cassette, paper holder



MOBILITY, STABILITY AND SECURITY



QUICK CHANGE OF PLACE

- moveable
- with brakes detectable

HIGH-QUALITY MATERIALS

- stable, but not too heavy
- edges protected by metal strips (shockproof)
- no visible rivets or screws
- smooth surface for attaching brandings
- the technical section is lockable

TECHNICAL PARTICULARITIES



19 INCH - INDUSTRY TOUCHSCREEN

- easy to handle (large screen)
- shock and scratch resistant
- large camera-live-image on touchscreen

DIMMABLE LED-BACKLIGHT

- adequate lighting of the motifs
- photobooth can even be used in poorly lit rooms
- perfect exemption at the greenscreen-shooting

FUNCTIONAL AND CONVENIENT

- with height-adjustable chair
- or bench (optional)



FURTHER PARTICULARITIES



SWIVELING CAMERA

- adjustable in landscape and portrait format
- individual image-clipping through zoom-objective
- camera is tiltable and height adjustable

OPTIONAL COIN SLOT/CARD READER

- costs are individually adjustable per picture
- can be de-activated easily
- change of money possible - on request
- refinance is possible

PRIVACY GUARANTEED

- through integrated curtains



SOFTWARE FUNCTIONS



INDIVIDUAL LAYOUT OF THE IMAGES

- Insertion of a logo, respectively a frame
- optional: personal signature on the images
- multiple images on one print-out

IMAGE-RECORDINGS IN...

- color
- black-white
- sepia

IMAGE -DOWNLOAD-POSSIBILITIES

- imprint of a QR- or a number-code
- direct image-download, respectively creation of a raffle via online-gallery

SOFTWARE FUNCTIONS



E-MAIL-SHIPMENT

- direct shipment of the images via mail
- direct insertion of the mail-address on the box
- individual mail-text and regards
- saving of the inserted e-mail-addresses (customer acquisition)

VIDEO-RECORDINGS

- length of short video individual adjustable
- good sound-quality via external microphone
- built-in speaker, boundary layer microphone



GREENSCREEN SHOOTING



RESULT:



PARTICULARITIES

- individual selection of the background enables the user, to choose between different motifs and event-topics
- perfect exemption thanks to LED-panels

OPTIONAL - GREENSCREEN TECHNIQUE WITHOUT GREEN BACKGROUND

- AI Background Remove removes background of pictures directly in photobooth workflow
- new background not visible in live-view, only visible in final photo



UNIQUE PHOTO BOOTH THROUGH INDIVIDUAL BRANDING



**DO YOU HAVE ANY
FURTHER QUESTIONS?**



+49 (0) 9321 - 1309091

